

Form 7: Application for Renovations or Additions

Submission Date:	Lot#
Applicant Information:	
Property Owner:	Phone:
Street Address:	
Mailing Address:	
Email:	
Project Description:	
 Color photos showing all four sides of Color photos showing front and rear o Architectural drawings – elevations an Site plan with addition. 	cope of work - due with submission. scope of work – due prior to any work. existing residence. f adjacent homes.
Contractor/Builder Information: Contractor/Builder:	Phone:
Address:	
Project Manager:	Phone:
Email Address:	
Upon completion of the project, pictures of the front ARB will complete final inspections. If the project is refunded.	
Property Owner's Signature:	Date:
Contractor/Builder's Signature:	Date: Rev 1.1.24



Color Board

Street Address:		Lot #	
Samiplie	Samipilie	SAMIPILIE	
Siding Color Manufacturer	Stucco Color Manufacturer		
Samipilie	Samiplie	SAMIPILE	
Roof Color		Trim	
Manufacturer			
SAMIPILIE	Samipilie	SAMIPILIE	
Shutter ColorManufacturer			



Exterior Materials and Colors

Street Address:			Lot #		
Color samples of actual materials must accompany this application for final approval on a color board no larger than 8.5 " \times \times 11".					
Item	Material	Color	Manufacturer/Model #/Name		
Siding (Wood/Hardieplank)		_			
Siding (Masonry)		_			
Roofing (Weight)		_	Minimum 20 V. an Warmata		
Fascia			Minimum 30 Year Warranty		
Trim		_			
Soffit		-			
Chimney					
Shutters		-	_		
Front Door		_			
Exterior Doors					
Garage Doors		_			
Windows		_			
Door Hardware					
Driveway/Walks		_			
Railings		_			
Swimming Pool/Spa					
Fireplace: Woodburning	Propa	ane	_(Indicate the tank location on the site plan)		



Submission Checklist

Street Address:	Lot #
☐ Application forms ☐ Two (2) complete sets of plans 24"X36" size ☐ Digital copy of plans	
Site Plan: 1" =10' scale ☐ Tree and topo with all trees marked to be removed. ☐ Set back lines: ☐ Garage cannot face street. ☐ Existing grades and finished grades shown. ☐ Two guest parking spots required. ☐ 5' driveway setback from property line. ☐ Propane tank location ☐ Service yard - all equipment (side or rear) 5' setback ☐ Fences 4-5' high and at least 3' from rear property line and 3' for any of the property line to the house at the close ☐ Construction service enclosure (12' x 30') location.	
Grading and Drainage Plan: ☐ Licensed Engineer or Landscape Architect	
Floor Plan: ¼" = 1' scale ☐ All dimensions ☐ Service yard gates must face side property lines (cannot face the ☐ Screen atriums	e street of golf course).
Foundation Plan: ¼" = 1' scale ☐ 1/4" = 1' Scale ☐ All walls, footings, piers, beams, and floor joists ☐ Locate all access openings and foundation vents in crawl space	
Elevations: ¼" = 1' scale ☐ Service Yard 6' minimum height ☐ 35' max height above FFE of 1st floor ☐ Windows True divided or simulated divided lites (no snap in gr ☐ Shutters ☐ Chimney masonry, grills to be vented in chimneys or hoods pro ☐ Screen - Screen must have a bronze frame and 20/20 mesh screen.	ovide cut sheets



Submission Checklist p. 2

Street Address:	Lot #
Roof Plan: ¼" = 1' scale ☐ Slopes, crickets, directions of slope and drainage ☐ Roof material and gutters ☐ Label all roof structures including vents, skylights so ☐ Location of grill vents shown ☐ Cut sheet for roof termination ☐ 30-year shingle minimum	olar collectors, dormers, and chimneys
 Electrical Plan: ☐ Meter base shown in service yard. ☐ All exterior fixture locations shown on the plan. ☐ Electrical cut sheets provided for all exterior lighting dimensions, and wattage. Maximum 75W per fixture 	-
 Details: Windows – must be simulated or True divided lites. Entry Porch Fencing Corners Dormers Wall section Garage wall section Screen Porch wall section Chimneys Service yard – Minimum height 6'. Must screen all a Shutters with hardware Entry step and handrails – Entry step risers 6-6 1/2" 	
 Landscape Plan: ☐ House/deck/garage/service yard/mechanical platform landscaped on all sides. Foundation and service yard height and width coverage at installation with 7-gall ☐ Foundation plants at least 30" high -7 gallon minimum elevations. All foundations plants must be evergreent ☐ Landscape lighting shown on landscape plan; include 	I plants MUST provide a minimum of 50% on plantings um. Two complete rows on front and rear